



## Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

## Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

## Search

- By Author
- Basic
- Advanced
- CrossRef

## Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

## File Cabinets

- Access the IEEE Enterprise File Cabinet



Your search matched **81** of **1138071** documents.  
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.


 Check to search within this result set

## Results Key:

**JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard

**1 Micro strip X-ray detector with a very high dynamic range based on GaAs**

Kaluza, A.; Ohms, T.; Rente, C.; Engels, R.; Reinartz, R.; Luth, H.; Nuclear Science Symposium, 1997. IEEE , 9-15 Nov. 1997  
Pages:583 - 586 vol.1

[Abstract] [PDF Full-Text (300 KB)] IEEE CNF

**2 Microstrip X-ray detector with a very high dynamic range based on I GaAs**

Kaluza, A.; Ohms, T.; Rente, C.; Engels, R.; Reinartz, R.; Luth, H.; Nuclear Science, IEEE Transactions on , Volume: 45 , Issue: 3 , June 1998  
Pages:724 - 727

[Abstract] [PDF Full-Text (324 KB)] IEEE JNL

**3 Custom column readout circuitry to extend the dynamic range of a-s current mediated pixel amplifiers for large area diagnostic X-ray imaging applications**

Ottaviani, T.; Karim, K.S.; Electrical and Computer Engineering, 2004. Canadian Conference on , Volume 3 , 2-5 May 2004  
Pages:1711 - 1714 Vol.3

[Abstract] [PDF Full-Text (421 KB)] IEEE CNF

**4 Application of a TMGe detector to high energy pulsed X-ray tomography**

Mathy, P.; Girard, J.L.; Thomas, G.; Conduction and Breakdown in Dielectric Liquids, 1990. ICDL 1990. Conference Record., 10th International Conference on , 10-14 Sept. 1990

Best Available Copy

Pages:148 - 153

[\[Abstract\]](#) [\[PDF Full-Text \(172 KB\)\]](#) IEEE CNF

---

**5 Detected contrast and dynamic range measurements of CdZnTe semiconductors for flat-panel digital radiography**

*Giakos, G.C.; Guntupalli, R.; Shah, N.; Vedantham, S.; Suryanarayanan, S.; Chowdhury, S.; Nemer, R.; Passerini, A.G.; Mehta, K.; Sumrain, S.; Patnekar, Nataraj, K.; Evans, E.A.; Endorf, R.; Russo, F.;*

Instrumentation and Measurement, IEEE Transactions on , Volume: 50 , Issue 6 , Dec. 2001

Pages:1604 - 1609

[\[Abstract\]](#) [\[PDF Full-Text \(82 KB\)\]](#) IEEE JNL

---

**6 Application of TMS, TMGe to high-energy X-ray tomography**

*Mathy, F.; Lepert, S.; Thomas, G.;*

Electrical Insulation, IEEE Transactions on [see also Dielectrics and Electrical Insulation, IEEE Transactions on] , Volume: 26 , Issue: 4 , Aug 1991

Pages:631 - 635

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) IEEE JNL

---

**7 Computed tomographic imaging of the coronary arterial tree-use of tomography**

*Spyra, W.J.T.; Faridani, A.; Smith, K.T.; Ritman, E.L.;*

Medical Imaging, IEEE Transactions on , Volume: 9 , Issue: 1 , March 1990

Pages:1 - 4

[\[Abstract\]](#) [\[PDF Full-Text \(560 KB\)\]](#) IEEE JNL

---

**8 Diagnostic technology development for NIF by LLNL experimental programs**

*Bell, P.M.;*

Plasma Science, 2004. ICOPS 2004. IEEE Conference Record - Abstracts. The IEEE International Conference on , 28 June-1 July 2004

Pages:314

[\[Abstract\]](#) [\[PDF Full-Text \(194 KB\)\]](#) IEEE CNF

---

**9 XPAD, a new read-out pixel chip for X-ray counting**

*Blanquart, L.; Valin, I.; Trouilleau, C.; Meillere, S.; Crest, L.;*

Nuclear Science Symposium Conference Record, 2000 IEEE , Volume: 2 , 15-1 Oct. 2000

Pages:9/92 - 9/97 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(528 KB\)\]](#) IEEE CNF

---

**10 Contrast sensitivity and dynamic range measurements of CdZnTe semiconductors for direct type flat-panel imaging**

*Giakos, G.C.; Guntupalli, R.; Shah, N.; Vedantham, S.; Suryanarayanan, S.; Chowdhury, S.; Passerini, A.G.; Mehta, K.; Sumrain, S.; Patnekar, N.; Evans, Endorf, R.; Russo, F.;*

Instrumentation and Measurement Technology Conference, 2000. IMTC 2000.  
Proceedings of the 17th IEEE , Volume: 1 , 1-4 May 2000  
Pages:375 - 379 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) [IEEE CNF](#)

---

**11 HX2: a 16-channel charge amplifier IC for the read-out of X-ray detectors**

*Thomas, S.L.; Seller, P.; Sharp, P.H.;*  
Nuclear Science Symposium and Medical Imaging Conference, 1994., 1994 IE  
Conference Record , Volume: 2 , 30 Oct.-5 Nov. 1994  
Pages:774 - 777 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) [IEEE CNF](#)

---

**12 A comparison between GaAs and CdTe for X-ray imaging**

*Sun, G.C.; Samic, H.; Bourgoin, J.C.; Chambellan, D.; Gal, O.; Pillot, Ph.;*  
Nuclear Science, IEEE Transactions on , Volume: 51 , Issue: 5 , Oct. 2004  
Pages:2400 - 2404

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) [IEEE JNL](#)

---

**13 Cross-strip readouts for photon counting detectors with high spatial and temporal resolution**

*Tremsin, A.S.; Siegmund, O.H.W.; Vallerga, J.V.; Hull, J.S.; Abiad, R.;*  
Nuclear Science, IEEE Transactions on , Volume: 51 , Issue: 4 , Aug. 2004  
Pages:1707 - 1711

[\[Abstract\]](#) [\[PDF Full-Text \(448 KB\)\]](#) [IEEE JNL](#)

---

**14 Wide-dynamic range proximity-focused streak camera for subpicosecond visible and X-ray recording**

*Lieber, A.; Sutphin, H.; Hyer, R.; McGurn, J.; Winn, K.;*  
Quantum Electronics, IEEE Journal of , Volume: 13 , Issue: 9 , Sep 1977  
Pages:845 - 845

[\[Abstract\]](#) [\[PDF Full-Text \(424 KB\)\]](#) [IEEE JNL](#)

---

**15 Dc- and un-SQUIDs for readout of ac-biased transition-edge sensor**

*Kiviranta, M.; Penttila, J.S.; Gronberg, L.; Seppa, H.; Suni, I.;*  
Applied Superconductivity, IEEE Transactions on , Volume: 13 , Issue: 2 , Jun  
2003  
Pages:614 - 617

[\[Abstract\]](#) [\[PDF Full-Text \(457 KB\)\]](#) [IEEE JNL](#)

---

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

---

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	30659	(dynamic adj range)	USPAT
2	BRS	L5	7613	1 and (high adj frequency)	USPAT
3	BRS	L6	49	5 and (conversion with curve)	USPAT

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	30659	(dynamic adj range)	USPAT
2	BRS	L2	114	1 and (gradation near2 conversion)	USPAT